



VCI ADDITIVES FOR FORMULATORS

Closed Loop Toad™ Patent Pending

PRODUCT DESCRIPTION

Cortec's Cooling Loop Toad™ is a unique combination of Vapor Corrosion Inhibiting (VCI) powders in polyvinyl-alcohol (PVA) water-soluble bags. It was developed to provide corrosion protection in recirculating and operating cooling systems. This product prevents corrosion of metals in the liquid phase, vapor phase and the liquid-vapor interface. The bag dissolves and the VCIs adsorb on all metal surfaces - reaching even recessed areas and interior cavities. The VCIs form a strong protective molecular layer on the metal. Cooling Loop Toad™ also contains a blend of organic-based scale inhibitors to prevent scale.

FEATURES

- Effective for a broad range of applications to stop aggressive corrosion
- Environmentally friendly
- Water-soluble powder and bag
- Easy to apply
- Does not contain free amines or nitrite
- Protects inaccessible and recessed surfaces
- Provides multimetal protection
- Enables safe handling
- PVA bags are fully biodegradable, non-toxic and non-irritating
- Reduces chemical consumption and cost
- Increased worker productivity
- Increased worker safety

TYPICAL APPLICATIONS

- Recirculating cooling systems
- Fire extinguishing systems
- Hydrostatic testing of pipelines, casings, tanks and valves

METHOD OF APPLICATION

Remove and discard outer barrier bag. Throw the water-soluble bags directly into cooling water. Four bags treat up to 1,000 gallons (3.8 m³) of water. After application, all internal surfaces should be covered or closed.

DIMENSION

Bag 10" x 14" (25 cm x 35 cm)

PHYSICAL PROPERTIES OF POWDER

Appearance White to off-white powder
pH 10-12 (1% aqueous)

PACKAGING AND STORAGE

Cooling Loop Toad is available in four (4) 2.2 lb (1.0 kg) bags per box. Store in sealed container in a dry and cool warehouse. Do not store in conditions above 150°F (66°C).

FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
KEEP CONTAINER TIGHTLY CLOSED
NOT FOR INTERNAL CONSUMPTION
CONSULT MATERIAL SAFETY DATA SHEET FOR MORE INFORMATION

LIMITED WARRANTY

All statements, technical information and recommendations contained herein are based on tests Cortec Corporation believes to be reliable, but the accuracy or completeness thereof is not guaranteed.

Cortec Corporation warrants Cortec® products will be free from defects when shipped to customer. Cortec Corporation's obligation under this warranty shall be limited to replacement of product that proves to be defective. To obtain replacement product under this warranty, the customer must notify Cortec Corporation of the claimed defect within six months after shipment of product to customer. All freight charges for replacement products shall be paid by customer.

Cortec Corporation shall have no liability for any injury, loss or damage arising out of the use of or the inability to use the products.

BEFORE USING, USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR ITS INTENDED USE, AND USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH. No representation or recommendation not contained herein shall have any force or effect unless in a written document signed by an officer of Cortec Corporation.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. IN NO CASE SHALL CORTEC CORPORATION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.



4119 White Bear Parkway, St. Paul, MN 55110 USA
Phone (651) 429-1100, Fax (651) 429-1122
Toll Free (800) 4-CORTEC, E-mail info@corotecvci.com
Internet <http://www.corotecvci.com>

Distributed by:



OTiK Sp. z o.o.
ul. Hutnicza 4
81-061 Gdynia
tel.: 58 6230498
fax: 58 6230496
otik@use.pl
www.inhibitory.use.pl